

Computer Science E-259

XML with J2EE

Lecture 5: XPath 1.0 and XSLT 1.0, Continued

2 March 2006

David J. Malan

`malan@post.harvard.edu`

1

Copyright © 2006, David J. Malan <malan@post.harvard.edu>. All Rights Reserved.

Computer Science E-259

Last Time

- CSS Level 2
- XPath 1.0
- XSLT 1.0
- TrAX
- Project 2

2

Copyright © 2006, David J. Malan <malan@post.harvard.edu>. All Rights Reserved.

Last Time

XPath 1.0

- Location Paths
- Data Types
- Functions

3

Copyright © 2006, David J. Malan <malan@post.harvard.edu>. All Rights Reserved.

Last Time

XSLT 1.0

- Nodes
- Elements
- Templates

4

Copyright © 2006, David J. Malan <malan@post.harvard.edu>. All Rights Reserved.

Computer Science E-259

This Time

- XSLT, Continued

5

Copyright © 2006, David J. Malan <malan@post.harvard.edu>. All Rights Reserved.

XSLT 1.0, Continued

Data Types

- boolean
- number
- string
- node-set
- external object
- result tree fragment

6

Copyright © 2006, David J. Malan <malan@post.harvard.edu>. All Rights Reserved.

XSLT 1.0, Continued

Conditions

```
<xsl:if test="...">
  ...
</xsl:if>
```

XSLT 1.0, Continued

Conditions

```
<xsl:choose>
  <xsl:when test="...">
    ...
  </xsl:when>
  <xsl:when test="...">
    ...
  </xsl:when>
  ...
  <xsl:otherwise>
    ...
  </xsl:otherwise>
</xsl:choose>
```

XSLT 1.0, Continued

Iteration

```
<xsl:for-each select="...">
  ...
</xsl:for-each>
```

XSLT 1.0, Continued

Iteration, Sorted

```
<xsl:for-each select="...">
  <xsl:sort select="..." order="..." />
  ...
</xsl:for-each>
```

XSLT 1.0, Continued

Patterns

```
<xsl:apply-templates select="..." />

<xsl:template match="...">
    ...
</xsl:template>
```

XSLT 1.0, Continued

Modes

```
<xsl:apply-templates mode="..." select="..." />

<xsl:template match="..." mode="...">
    ...
</xsl:template>

<xsl:template name="...">
    ...
</xsl:template>
```

XSLT 1.0, Continued

Built-In Templates, Revisited

```
<xsl:template match="*/" mode="...">
  <xsl:apply-templates mode="..." />
</xsl:template>

<xsl:template match="text()|@" mode="...">
  <xsl:value-of select="." />
</xsl:template>

<xsl:template match="comment()|processing-instruction()"
  mode="..." />
```

13

Copyright © 2006, David J. Malan <malan@post.harvard.edu>. All Rights Reserved.

XSLT 1.0, Continued

Priorities

```
<xsl:apply-templates select="..." />

<xsl:template match="..." priority="...">
  ...
</xsl:template>
```

Some Defaults

<code>node(), text()</code>	-0.5
<code>ns:foo, ns:bar</code>	-0.25
<code>foo, bar</code>	0.0
<code>foo[1], foo/bar</code>	0.5


14

Copyright © 2006, David J. Malan <malan@post.harvard.edu>. All Rights Reserved.

XSLT 1.0, Continued

Includes

```
<xsl:include href="..." />
```



contents have same precedence as
those in including module


15

Copyright © 2006, David J. Malan <malan@post.harvard.edu>. All Rights Reserved.

XSLT 1.0, Continued

Imports

```
<xsl:import href="..." />
```



contents have lower precedence as
those in importing module

16

Copyright © 2006, David J. Malan <malan@post.harvard.edu>. All Rights Reserved.

XSLT 1.0, Continued

Variables

```
<xsl:variable name="..." select="..."/>
```

```
<xsl:variable name="...">...</xsl:variable>
```

17

values cannot be reassigned

Copyright © 2006, David J. Malan <malan@post.harvard.edu>. All Rights Reserved.

XSLT 1.0, Continued

Result Tree Fragments

```
<xsl:variable name="oogle">  
  <foo><bar>baz</bar><qux>quux</qux></foo>  
</xsl:variable>
```

```
<xsl:param name="oogle">  
  <foo><bar>baz</bar><qux>quux</qux></foo>  
</xsl:param>
```

18

Copyright © 2006, David J. Malan <malan@post.harvard.edu>. All Rights Reserved.

XSLT 1.0, Continued

Result Tree Fragments

```
<xsl:copy-of select="$oogleg"/>  
⇒ <foo><bar>baz</bar><qux>quux</qux></foo>
```

```
<xsl:value-of select="$oogleg"/>  
⇒ bazquux
```

XSLT 1.0, Continued

Copying Nodes

```
<xsl:copy>...</xsl:copy>
```

```
<xsl:copy-of>...</xsl:copy-of>
```

```
<xsl:template match="@*|node()">  
  <xsl:copy>  
    <xsl:apply-templates select="@*|node()" />  
  </xsl:copy>  
</xsl:template>
```

XSLT 1.0, Continued

Outputting Nodes

```
<xsl:element name="...">...</xsl:element>
```

```
<xsl:attribute name="...">...</xsl:attribute>
```

```
<xsl:comment>...</xsl:comment>
```

```
<xsl:processing-instruction  
  name="...">...</xsl:processing-instruction>
```

```
<xsl:text>...</xsl:text>
```

XSLT 1.0, Continued

Attribute Value Templates

```
<xsl:variable name="image-dir" select="'/images'"/>
```

```
<xsl:template match="photograph">  
    
</xsl:template>
```

+

```
<photograph>  
  <href>headquarters.jpg</href>  
  <size width="300"/>  
</photograph>
```

=

```

```

XSLT 1.0, Continued

Multiple Source Documents

```
<xsl:variable name="..." select="document('...')"/>
```

XSLT 1.0, Continued

Recursion

```
<xsl:apply-templates mode="..." select="..."/>
```

```
<xsl:call-template name="..." mode="..."/>
```

XSLT 1.0, Continued

Extension Elements and Functions

<http://xml.apache.org/xalan-j/extensions.html>

<http://xml.apache.org/xalan-j/extensionslib.html>

25

Copyright © 2006, David J. Malan <malan@post.harvard.edu>. All Rights Reserved.

Next Time

Namespaces in XML 1.1, SVG 1.1, and XSL (XSL-FO) 1.0

- Namespaces in XML 1.1
- SVG 1.1
- XSL (XSL-FO) 1.0

26

Copyright © 2006, David J. Malan <malan@post.harvard.edu>. All Rights Reserved.

Computer Science E-259

XML with J2EE

Lecture 5: XPath 1.0 and XSLT 1.0, Continued

2 March 2006

David J. Malan

`malan@post.harvard.edu`